C9600 Series





Brilliant color. Unmatched media flexibility.

C9600n C9600hdn

*	•	•	٠	٠	•	٠	٠	•	•	٠	٠			•	*	•	٠	*	*	*	•	•		•	•	•	٠	٠
•	•	٠	٠	•	٠	•	٠	٠	٠	•	•	٠	٠	٠	٠	٠	٠	٠	•	•	٠	٠	•	-	-	1		•
٠	٠	٠	٠	•	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	-	-				-	2/
٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠	٠	٠	٠	-	-	P			1º	1
۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	_	0	4		1	15	T
٠	•	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠],	E	In	
٠	٠	•	٠	٠	٠	•	٠	٠	٠	•	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	*			TR.	pro-	
•	٠	*	٠	٠	•	٠	٠	•	•	٠	٠	•	*	•	•	*	٠	*	*	•	•	•		*	*	٠	٠	٠







Your business calls for productivity and versatility. That's what you get—and more—with the C9600 Series!

Highlights:

- Color output at up to 36 ppm, Mono (black & white) at up to 40 ppm¹
- Single Pass Color[™] Digital technology for printing on media up to 270 gsm
- Tabloid-extra/A3 (12" x 18"); prints on banner sheets up to 12.9" wide by 47.24"
- ProQ2400 Multi-level technology for sharper detail and rich color depth; up to 1200 x 600 dpi resolution
- High-capacity, 2-piece consumables for low Total Cost of Ownership
- 720 MHz PowerPC 750FX processor
- Generous standard RAM, upgradable to 1 GB
- Holds up to 2,880 sheets with options
- Job Accounting software² and Web-based printer management utility standard
- Direct PDF Printing print .pdf files without Adobe[®] Acrobat[®] or Acrobat Reader^{2, 3}
- Available with duplexer³, 20 GB Hard Disk Drive³, and Finisher/Stapler
- 1-Year On-Site limited warranty⁴ on printer; 5-Year limited warranty on LED printheads
- Live, toll-free technical support 24/7/365⁴

Color printing with exceptional paper handling flexibility

Digital color printers from OKI Printing Solutions provide high-quality, tabloid-extra (12" x 18") color output.

With the C9600 Series Digital Color printers, you can improve the quality of your output and increase productivity—even as you lower your expenses.

These color printers are the efficient and affordable answer, especially if tabloid-size newsletters and brochures, ad layouts, large illustrations, banners or specialty media are essential parts of your business.

Your total in-house printing solution.

No more having to run down to the corporate or neighborhood copy center every time you need color documents. From postcard- to banner-size documents up to 12.9" by 47.24", you can simply print them in-house.

C9600 Series printers come with Color Matching software from OKI Printing Solutions and Auto Color Balance, to ensure that color output remains accurate and consistent from start to finish. And features like Auto Media Detect will automatically adjust the printer to your required media type. Single Pass Color[™] Digital technology and long-lasting, individually replaceable toner cartridges and image drums translate into fewer interventions—for increased productivity and a lower cost per page than competitive color printers and, especially, outside print-and-copy services. Further, C9600 Series color printers have a cost per black & white page comparable to that of most mono laser printers—so you can use them for all your business printing.

Connectivity and more.

C9600 Series printers can be connected to the network (PC- or Mac®-based) via a 10/100 Base-T internal print server card or an optional wireless network interface card. They also feature highspeed USB v2.0 and parallel interfaces.

Both C9600 Series models are equipped with Job Accounting software² that allows for tracking of color and mono pages, the types and quantities of paper used, and a record of printing activity by individual or department.

So go on, get as creative as you like—and expect the superlative capabilities of C9600 Series Digital Color printers from OKI Printing Solutions to make you look great.

Individual results may vary.

```
<sup>2</sup> Requires hard disk drive.
```

³ Standard on C9600hdn model.
⁴ Available in the U.S. and Canada only.

¹ Published performance results based on laboratory testing.

Productivity- and profit-enhancing software utilities, too.

				6 (09600, 0	#39016858) -	Nicrosoft Int	ernet Explorer		E
· Die New	rper	Des 3	los De						
Bad - (D - 6		2 🖒 🕽	Seath y	rauntes 🛃	teda 🕑	🙆 - 😓 🖂 🗳	5	Links
ters () Mips	Nocahor	Prints	AperValon/Prin	ter asp:7 D	-1				v 🖸 G
211	-	-		rints	uperV	ision	net	OKI "State	
Printers	Tim	ribed			ports Too			OIL PIN	
	10111				Useria	drin (E00	X	8
	2000	11.12	10.5 0/10	10000	16.00				1000
172.3	1.43.	166	(C9600,	OKI901	6858) 4/20/	2005 12:10:0	1794		Samp
Capabilities	l nee	- 1	and the local division of the	Configure	1 0	Min D	evera Event Log	Nerts Reports Edit A	Add to My Printers
-quanta -	1 1111		-	conduc		and the second second		and a second sec	Refresh
				Media	Media				
Tray \$		Pap	er Size	Type	Weight	Capacity		ALC: NOT	
MultiPurpose		LONGEDGE	PLAIN	MEDILM			1 1		
Tray Trav1			LONGEDGE	PLAN	HOLMIN			1	
tray a			LUNIGLUGE	FLAN	PEDROFEIGH			FI	
	pples				6 Remaining			Canada A	
Cyan Tor	w.		83					the second	
Magenta			0	1				1 1 1	
Telow To			4						
Black Tor			76	_	_	-	CALINE AUTO/TRAYI		
Cyan Drum			91	_	_	_	Online		
Magenta Drum		44	_						
Telow Drum			26				Model	C9600	
ElBlack Drum			3				Address	172.31.43.3	
			nine 0	rder Supplik	88		Name	CN25036858	
			2010		1000		Status Printing Status	Online	
Two Sided P				Installed			Printing Status Device Status	Burring	
Emulations 1	nstaled			POL POS	TSORIPT		MC Ture	CH IN 62Y	


PrintSuperVision

Robust, scalable, Internet-based software components that enable administrators to access and distribute printer data and control the functionality of all the OKI Printing Solutions printers and most other SNMP-based printers on their network.

Pater	Al Month			C950018	30.10.11					
Viete Viete <td< th=""><th>Legits. 2 3 Define feer Nam [G] Peer Us Peer Giv Mass. T Sheet</th><th>0 0 600 Taxe us and Taxe is Toxe us</th><th>dretos Br</th><th>Document Name Tech Page Ind, page, chr., Ind, page, chr., Ind, page, chr., Modia Type Nam we answell Inden pages</th><th></th><th>Total Deets.</th><th>Pages 8</th><th>Postad Postad</th><th>Page Set Lotte Longe Lotte Longe</th><th>A REFERENCESSER</th></td<>	Legits. 2 3 Define feer Nam [G] Peer Us Peer Giv Mass. T Sheet	0 0 600 Taxe us and Taxe is Toxe us	dretos Br	Document Name Tech Page Ind, page, chr., Ind, page, chr., Ind, page, chr., Modia Type Nam we answell Inden pages		Total Deets.	Pages 8	Postad Postad	Page Set Lotte Longe Lotte Longe	A REFERENCESSER
(c)										9


Job Accounting Software

Enables tracking of color printing costs and easy monitoring and control of printer usage—with both Server and Client components.



Color Matching software from OKI Printing Solutions An accurate color matching/job flow management program that enables users to match the colors on their monitor with their color output, and create ICC input/output profiles for printers, monitors and scanners.

C9600 Series At-a-Glance





The easy-to-read, easily accessible operator panel of the C9600 Series tilts up for user convenience, and features a bright text-and-graphics LCD display.

¹ Published performance results based on laboratory testing.

Individual results may vary. ² Standard on C9600hdn.



C9600 Series Operator Panel in "flat" or "down" position.



C9600 Series Operator Panel can be tilted upwards to various angles (up to 90°) for greater convenience.

Unmatched media flexibility: from letterhead to table tents to 4-foot banners – up to 270 gsm!

Introducing the Signage Media Collection from OKI Printing Solutions. The C9600 Series prints them all beautifully!



Clear Film Cling Labels 8.5" x 11" – Easy to apply and remove!



Premium Card Stock 3 different weights; uniformly smooth surface



Premium Gloss Paper Enhances printed color visuals



Table Tents Easy to assemble; ideal for table displays



Banner Paper 35.4" x 12.9" – ideal for retail signage

For more information or to order from the Signage Media Collection: **1.800.OKI.DATA** (800.654.3282).

C9600 Series

Specifications

Performance

- Print Speed: Up to 36 ppm Color; up to 40 ppm Mono¹
- Time to First Page: 10.5 sec. Color; 9 sec. Mono¹
- Warm-Up Time: 85 sec. or less from Power On
- Resolution: ProQ2400 Multilevel technology; up to
- 1200 x 600 dpi resolution Processor: 720 MHz PowerPC 750FX
- Reliability / Duty Cycle: 150,000 pages / month

Standard Productivity Features

- · Job Accounting: Track precise count of color and mono pages printed by individual or department
- PrintSuperVision: Web-based software, printer management tool
- Storage Device Manager: Stores and manages forms, letterheads, logos and fonts²
- Auto Media Detect: Automatic paper weight detection
- Auto Paper Tray Select: Automatically detects paper size

Color Controls

- Color Management: Color Matching software and Color Correct from OKI Printing Solutions, PS Gamma Adjuster, PostScript® CRD, Windows® ICM, Resident ICC Input/ Output Profiles (also create, download to printer, and manage new profiles). Supports color management systems that utilize ICC profiles (Apple®, ColorSync®, Microsoft[®] ICM, Adobe[®] applications, QuarkXPress, CorelDraw®)
- Ink Simulations: SWOP[®], Euroscale and others
- Color Matching Modes: sRGB, Monitor Simulations, **Digital Camera**

Compatibility

- Emulations: PCL[®] 5c, PCL 6, Adobe PostScript 3[™]; Direct PDF Printing (Windows environment only)²
- Operating Systems: Windows[®] XP Professional, XP Home, 2003 server: Windows 98, 98 SE, ME, NT[®] 4.0 Workstation, NT 4.0 Server (SP6 or later), 2000 Workstation (SP3 or later), 2000 Professional (SP3 or later), 2000 Server (SP3 or later), 2000 Advanced Server (SP3 or later); Citrix® MetaFrame® – Windows 2000 Server (ServicePack4) with Citrix MetaFrame XP® Presentation Server Feature Release 3, Windows Server 2003 Standard Edition with Citrix

MetaFrame XP Presentation Server Feature Release 3; Mac[®] OS 9.2, Mac OS 10.2.4 - 10.3.8

 Network & Protocols: 10/100 Base TX Ethernet card with internal Web server for printer and network card setup and management; includes POP3/APOP and SMTP Mail client for submission of print jobs and for alerts. All major network protocols supported - TCP/IP, Netware and Ethertalk. TCP/IP includes ARP, IP, ICMP, TCP, UDP, LPR, FTP, TELNET, HTTP(IPP), BOOTP, DHCP, SNMP, DNS, SSL/TLS, JetDirect protocols; Netware includes 3.x, 4.x, 5.x and 6 with full NDS and NDPS support - PServer, RPrinter, NDPS supported via dedicated OKI NDPS Gateway. EtherTalk: ELAP, AARP, DDP, AEP, NBP, ZIP, RTMP, ATP, PAP. Wireless Option supports 802.11g.

Memory

- Standard RAM: C9600n 256 MB; C9600hdn 384 MB
- Maximum RAM: 1.024 MB
- Flash Memory: 4 MB standard
- Hard Disk Drive: 20 GB (standard on C9600hdn, optional on C9600n)

Specifications are subject to change without notice.

© 2005 Oki Data Americas, Inc. OKI Reg. T.M., M.D. M.R., OKIcare, OkiLAN Reg. T.M., Oki Electric Industry Co., Ltd. Single Pass Color T.M. and design Reg. T.M., Oki Data Corp. SynFlex T.M., Oki Data Americas, Inc. SWOP T.M., SWOP, Keg, J.M., OKI Data Corp. Synthex J.M., OKI Data Americas, Inc. SWOP J.M., SWOF, Inc. Adobe, PostScript, Acrobat Reg. T.M., PostScript 3.T.M., Adobe Systems Inc. Microsoft, Windows, Windows NT Reg. T.M., Microsoft Corp. PCL, Reg. T.M., Hewlett-Packard Co. Mac, ColorSync Reg. T.M., Apple Computer Inc. Quark/Press T.M., Quark Inc. CorrelDraw Reg. T.M., Corel Corp. Intel Reg. T.M., Intel Corp. Energy Star Reg. T.M., U.S. EPA. Solaris, Reg. T.M., Sun Microsystems, Inc. Citrix, MetaFrame, MetaFrame XP Reg. T.M., Citrix Systems, Inc. USB-Logo T.M. Universal Sarial Buc Immempters Forum Inc. Serial Bus Implementers Forum, Inc.

Interface

- Standard Connectivity: 10/100-TX Ethernet, High-speed USB v2.0. Parallel
- Optional Connectivity: Wireless Network Card (802.11g)
- Paper Handling
- Standard Input: 760 sheets (530-sheet universal tray + 230-sheet multi-purpose tray)
- Optional Input: 2nd/3rd universal tray (530 sheets each); High-Capacity Feeder (1,590 sheets)
- Maximum Capacity: 2,880 sheets (Printer + 2nd tray + High Capacity Feeder + Multi-Purpose Tray)
- Paper Sizes Supported: Tabloid extra (12" x 18"), tabloid, legal, letter, executive, index cards, A3, A4, A5, A6, B5, C5, DL, Com 10, Monarch envelopes, and banners (up to 12.9" by 47.24")
- Paper Weight: Trays 1 thru 5 support 17 lb.-57.5 lb. bond (64-216 gsm); Multi-purpose tray supports 17 lb.-72 lb. bond (64-270 gsm); duplex supports 20 lb.-32 lb. bond (75-120 gsm)
- Duplex (2-sided printing): Standard on C9600hdn; optional on C9600n

Typefaces

• Printer Fonts: 86 scalable PCL fonts, 1 bitmap font, 10 TrueType® fonts, 136 Adobe PostScript Type 1 fonts, OCR A/B, USPS Barcode

Environmental

- Size (WxDxH): 25.8" x 24.4" x 18.2"
- (65.5 cm x 62.0 cm x 46.2 cm)
- Weight: 152 lb. (69.0 kg)
- Power Consumption: Typical 750W, Peak 1500W, Idle 200W (average), Power Save <45W
- Acoustic Noise: Operating: 54dB(A) or less, Standby: 40dB(A) or less, Power save: 40dB(A) after 30 minutes (background level)
- Energy Star: Yes

Warranty

- Printer: 1-Year limited On-Site warranty³, parts and labor
- Digital LED Printhead: 5-Year limited warranty

Important Consumables Information: This product has been designed and engineered to operate only with genuine OKI Printing Solutions consumables. Use of non-genuine consumables will result in the loss of certain printer enhancements, such as Auto Color Balance and the Toner Sensor gauge.

For more information on Digital Color printers and supplies from OKI Printing Solutions, including OKIcare® Extended Service Programs: 1.800.OKI.DATA (800.654.3282).3

- ¹ Published performance results based on laboratory testing. Individual results may vary.
- ² Requires hard disk drive.
- ³ Available in the U.S. and Canada only.
- ⁴ Estimated life at 5% coverage on letter-size paper (printers ship with 7,500-page standard toner cartridge).
- ⁵ Estimated life, continuous printing (will vary depending on number of printed pages per job).











Printed in the USA MS11458/0605

Transfer Belt 42931601 100,000 pg.5 Waste Toner Box 30,000 pg.4 42869401 **Finisher Staples** 42937601 15,000 count Print Media Sheets Per Box 10-Pt. Gloss Paper (8.5" x 11") 250 52208401 10-Pt. Gloss Paper (11" x 17") 250 52208402 Premium Card Stock (8.5" x 11"): 60 lb. cover 52205601 250 90 lb. index 250 52205602 110 lb. index 250 52205603 Bright White Proofing Sheets (32 lb.): 52206101 8.5" x 11' 500 11" x 17" 500 52206102 12" x 18" 500 52206103 Premium Color Transparency Film 50 52205701 Table Tents (3 @ 4" x 18") 250 52207201 4-Up White Labels (@ 4.125" x 7") 250 52207301 Banner Paper (12.9" x 35.4") 100 52206001 SynFlex[™] Paper (8.5" x 11" -Waterproof and Tear-resistant) 100 52205901 Premium Envelopes (size #10): 52206301 100 52206302 500

Ordering Information

C9600n 120V (Multilingual)

C9600n 230V (Multilingual)

C9600hdn 120V (Multilingual)

C9600hdn 230V (Multilingual)

2nd and 3rd 530-sheet Paper Tray Mechanism

Part Numbers

62422904

62422905

62422907

62422908

42831301

42797201

42831501

70050701

70050801

42872902

70050501

70050201

70050301

70050401

70050101

42918903

42918902

42918901

42918904

42918103

42918102

42918101

42918104

42931701

42931702

Description

Options

Duplex Unit

4-Tray Finisher

5-Tray Finisher

Supplies

High-Capacity Feeder

20 GB Hard Disk Drive

Cyan Toner Cartridge

Magenta Toner Cartridge

Yellow Toner Cartridge

Black Toner Cartridge

Cyan Image Drum

Image Drums (Type C7)

Magenta Image Drum

Yellow Image Drum

Black Image Drum

Consumables

Fuser Kit (120V)

Fuser Kit (230V)

2- /3-Hole Punch for Finisher

128 MB Memory Expansion DIMM

256 MB Memory Expansion DIMM

512 MB Memory Expansion DIMM

OkiLAN® 802.11g Wireless Network Card

High-Capacity Toner Cartridges (Type C7)

15,000 pg.

15,000 pg.4

15,000 pg.

15,000 pg.4

42,000 pg.⁵


42,000 pg.5

42,000 pg.5

42,000 pg.5

100,000 pg.5

100,000 pg.5





2000 BISHOPS GATE BLVD. MOUNT LAUREL, NI 08054-4620 TEL: 800.OKI.DATA (800.654.3282) Fax: 856.222.5320

CANADA 2735 MATHESON BLVD. EAST MISSISSAUGA, ONTARIO L4W 4M8 TEL: 905.238.4250 Fax: 905.238.4421